Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	4533061	configur\$6 or buil\$6 or creat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:17
S35	2461	((715/762) or (715/763) or (715/810) or (715/771) or (715/967) or (717/105) or (717/109) or (717/113)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:17
S5	4184106	configur\$6 or buil\$6 or creat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:17
S38	31402	S37 near4 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:18
S37	4533061	configur\$6 or buil\$6 or creat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:18
S6	26295	S5 near4 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:18
S44	883	S41 same S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S43	317982	S42 near2 user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19

S42	6688150	(select\$4 or choos\$6 or input\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S41	31402	S40 near4 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S40	4533061	configur\$6 or buil\$6 or creat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S39	2461	((715/762) or (715/763) or (715/810) or (715/771) or (715/967) or (717/105) or (717/109) or (717/113)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S34	72	S33 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:19
S45	81	S44 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:57
S46	1497	automatic\$5 with (source near2 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:58
S47	0	wihout with (user near2 (input\$1 or specif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:59

S48	16	wihout with input\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:01
S49	0	wihout same (user near2 input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:06
S54	207	(715/763).CCLS.	USPAT	OR	OFF	2006/01/17 14:17
S56	77	S46 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 10:12
S4	2045	((715/762) or (715/763) or (715/810) or (715/771) or (715/967) or (717/105) or (717/109) or (717/113)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
L1	684	(715/835).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S10	68	S9 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:54
L2	164	(715/967).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((graphic\$5 or visual\$5 or icon\$5) and program and (first adj node\$\$1) and (second near3 node\$1) and (interface or GUI) and (operation\$1 or function\$1) and input\$1 and withou\$1 and (source adj code\$1) and (interconnect\$5 or wir\$5)).clm.	US-PGPUB; USPAT	OR	OFF	2006/01/19 11:19